

FIG. 1

FIG. 2




FIG. 3

USER ID

DELIVERY ADDRESS

SEND

12

13

14

Detailed description: This diagram shows a rectangular frame containing three elements. At the top, the text 'USER ID' is positioned above a horizontal rectangular input field. A wavy line connects the right side of this field to the number '12'. Below this, the text 'DELIVERY ADDRESS' is positioned above another horizontal rectangular input field. A wavy line connects the right side of this field to the number '13'. At the bottom right of the frame, there is a small rectangular button with the word 'SEND' inside. A wavy line connects the right side of the button to the number '14'.

FIG. 4

PASSWORD

SEND

15

16

Detailed description: This diagram shows a rectangular frame containing two elements. At the top, the text 'PASSWORD' is positioned above a horizontal rectangular input field. A wavy line connects the right side of this field to the number '15'. At the bottom right of the frame, there is a small rectangular button with the word 'SEND' inside. A wavy line connects the right side of the button to the number '16'.





FIG. 5

FIG. 6

USER REGISTRATION
REQUESTPORTABLE
TELEPHONE 2USER
TERMINAL 1PRODUCT INFORMATION
SERVER 3ELECTRONIC
SETTLEMENT CENTER 4USER
REGISTRATION
PROCESSINGRECEIVE,
DISPLAY ONETIME
PASSWORDSEND ACKNOWLEDGE
CODESETTLEMENT
PROCESSING TO BE
EXECUTED FOR A
SINGLE PURCHASECOMPLETE SETTLEMENT PROCESSING FOR A
SINGLE PURCHASECOMPLETE SETTLEMENT PROCESSING FOR A
SINGLE PURCHASE




FIG. 7




FIG. 8